Version 5.1 Revision Date 10/01/2023 Print Date 01/14/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP CON IND PURPLE DEGREASER_5GL
Material number	:	R45815
Manufacturer or supplier's o	leta	lils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

## SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	liquid
Colour	purple
Odour	ether-like

GHS Classification	
Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	<ul> <li>Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. <b>Response:</b> P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off</li> </ul>

Version 5.1

Revision Date 10/01/2023

immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

#### Storage:

P405 Store locked up.

## Disposal:

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
Alcohols, C9-11, ethoxylated	68439-46-3	>= 3 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 3
sodium hydroxide	1310-73-2	>= 1 - < 3
Benzenesulfonic acid, mono-C10-16-alkyl derivs.,	68081-81-2	>= 1 - < 3
sodium salts		

The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice	Nove out of dangerous area. Show this safety data sheet to the doctor in att Do not leave the victim unattended. Get medical attention immediately.	endance.
lf inhaled	f unconscious, place in recovery position and idvice. f symptoms persist, call a physician.	seek medical
In case of skin contact	mmediate medical treatment is necessary as a vounds from corrosion of the skin heal slowly lifficulty. Vash off immediately with plenty of water for a ninutes. i skin irritation persists, call a physician. Remove contaminated clothing and shoes. Vash contaminated clothing before reuse.	and with
In case of eye contact	Small amounts splashed into eyes can cause i	rreversible

Version 5.1	Revision Date 10/01/2023	Print Date 01/14/2025
	tissue damage and blindness. Rinse immediately with plenty of wa for at least 15 minutes. Continue rinsing eyes during transp Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s	port to hospital.
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an DO NOT induce vomiting unless di physician or poison control center.</li> <li>Take victim immediately to hospital Do not give milk or alcoholic bevera</li> </ul>	rected to do so by a
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayed Symptoms may include blistering, i Effects are dependent on exposure contact time).</li> <li>Causes severe skin burns and eye Review section 2 of SDS to see all</li> </ul>	rritation, burns, and pain. (dose, concentration, damage.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

Version 5.1

Revision Date 10/01/2023

Print Date 01/14/2025

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.	
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains, information respective authorities.</li> </ul>	rm
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	3

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH

ersion 5.1		R	evision Date	10/01/2023		Print Date 0	1/14/2025
			C		2 mg/m3		SH REL
				NA	2 mg/m3		HA Z-1
			C C		2 mg/m3		HA PO
			C		2 mg/m3	CA	L PEL
<b>Biological occupation</b>	al expos	ure	limits				
Component	CAS-N	lo.	Control	Biological	Sampling	Permissibl	e Basi
			parameters	specimen	time	concentration	on
2-BUTOXYETHANOL	111-76-	-2	Butoxyaceti		End of	End of 200.mg/g	ACGIH I
			acid (BAA)		shift (As	Creatinine	
					soon as		
					possible		
					after		
					exposure		
					ceases)		
Engineering measures	<b>s</b> :	: eff	ective ventila	tion in all pro	ocessing area	S	
Personal protective ec	quipmen	t					
Respiratory protection	:	ve	se respiratory ntilation is pro at exposures	ovided or exp	oosure asses		nstrates

Hand protection		
Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	purple
Odour	:	ether-like
Odour Threshold	:	No data available

Version 5.1	– Revision Date 10/01/2023	Print Date 01/14/2025
рН	13.5	
Melting point/freezing point	No data available	
Boiling point	98.9 °C	
Flash point	does not flash	
Evaporation rate	1	
Upper explosion limit	No data available	
Lower explosion limit	No data available	
Vapour pressure	not determined	
Relative vapour density	No data available	
Density	1.0230 g/cm3	
Solubility(ies)		
Water solubility	soluble	
Solubility in other solvents	not determined	
Partition coefficient: n- octanol/water	No data available	
Auto-ignition temperature	not determined	
Thermal decomposition	No data available	
Viscosity		
Viscosity, kinematic	6.6 mm2/s (20 °C)	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Oxidizing agents This product contains sodium hydroxide or potassium hydroxide that may corrode some soft metals and may react with tin, zinc, aluminum to form hydrogen gas.
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Version 5.1

Revision Date 10/01/2023

Print Date 01/14/2025

### SECTION 11. TOXICOLOGICAL INFORMATION

Potenti	al Health Effects	
Aggrava Conditio	ated Medical	: None known.
	oms of Overexposure	<ul> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, irritation, burns, and pain.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Causes severe skin burns and eye damage.</li> <li>Review section 2 of SDS to see all potential hazards.</li> <li>Treat symptomatically. Symptoms may be delayed.</li> </ul>
Carcino	ogenicity:	
IARC		No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	l	Confirmed animal carcinogen with unknown relevance to humans
OSHA		2-butoxyethanol 111-76-2 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxic	ity	
<u>Produc</u>	<u>et:</u>	
Acute	oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute	inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute	dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
<u>Compo</u>	onents:	
	Is, C9-11, ethoxylated oral toxicity	
	<b>vyethanol:</b> oral toxicity	: LD50 Oral Rat: 880 mg/kg

	Revision Date 10/01/2023	Print Date 01/14/2025
Aquita dormal toxiaity	. I DEO Dormal Dabbits 1 060 ma/ka	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
<b>sodium hydroxide:</b> Acute dermal toxicity	: Acute toxicity estimate Rabbit: 1,35	i0 ma/ka
Adde definal toxicity		o mg/kg
Skin corrosion/irritation		
Product:		
Remarks: Extremely corrosive	e and destructive to tissue.	
Serious eye damage/eye irritatio	on	
Product:		
Remarks: May cause irreversi	ble eye damage.	
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available	e	
SECTION 12. ECOLOGICAL INFO	ORMATION	

## Ecotoxicity

<u>Components:</u> sodium hydroxide :

Version 5.1		Revision Date 10/01/2023	Print Date 01/14/2025
Toxicity to fish	:	LC50 (Gambusia affinis (Mosqu Exposure time: 96 h Test Method: static test	uito fish)): 125 mg/l
		LC50 (Oncorhynchus tshawyts 152 mg/l Exposure time: 96 h	cha (chinook salmon)):
		LC50 (Oncorhynchus mykiss (r Exposure time: 48 h	ainbow trout)): 40 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water Exposure time: 48 h	flea)): 34 - 47 mg/l
		EC50 (Crangon crangon (shrim Exposure time: 48 h	ıp)): 33 - 100 mg/l
Persistence and degradability			
No data available Bioaccumulative potential			
Product:			
Partition coefficient: n- octanol/water	:	Remarks: No data available	
Mobility in soil			
No data available			
Other adverse effects			
No data available Product:			
Regulation		40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks		Substances This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.
Additional ecological information	:	Not applicable	
<u>Components:</u> sodium hydroxide :			
Additional ecological information	:	Harmful to aquatic life.	

## SECTION 13. DISPOSAL CONSIDERATIONS

## Disposal methods

Version 5.1	Revision Date 10/01/2023	Print Date 01/14/2025	
Waste from residues	: Do not dispose of waste into sewe Do not contaminate ponds, waterw chemical or used container. Dispose of in accordance with loca	ays or ditches with	
Contaminated packaging	ing : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.		

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Version 5.1	Revision Date 10/01/2023	Print Date 01/14/2025
SARA 311/312 Hazards	: Skin corrosion or irritation Serious eye damage or eye irritatio	n
SARA 302	: No chemicals in this material are so requirements of SARA Title III, Sec	, , ,
SARA 313	<ul> <li>The following components are subject to reporting levels established by SARA Title III, Section 313: 2-butoxyethanol</li> <li>111-76-2</li> <li>2.931</li> </ul>	
California Prop. 65		
	This product does not contain an California to cause cancer, birth o reproductive harm.	

### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### SECTION 16. OTHER INFORMATION

Version 5.1

Revision Date 10/01/2023

Print Date 01/14/2025

#### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 5.1

Revision Date 10/01/2023

Print Date 01/14/2025

Version:	5.1
Revision Date:	10/01/2023
Print Date:	01/14/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.